

USER MANUAL

USB 3.0 to HDMI Converter

Enjoy the vivid world

Introduction:

This USB to HDMI converter is able to display or expand picture of PC/smart phone/ tablet PC etc. to larger size displayer via USB3.0 interface. It support HDMI interface output, compatible with Windows, Android, Mac OS systems.




Features:

- * Support EDID/HPD processing;
- * Support DVI1.0;
- * Built-in USB3.0 driver, compatible with USB2.0 driver;
- * Product shape is small and beautiful.

Specifications:

HDMI resolution	up to 1080P/60Hz
Support audio format	Stereo
Input cable distance	≤2M USB3.0 standard cable
Output cable distance	≤10M AWG24 HDMI standard cable
USB Input	
HDMI Output	
Operating Temperature range	(-15 to +45°C)
Operating Humidity range	5 to 90%RH (No Condensation)
Dimension (L x W x H)	11x23x240 (mm)
Weight	23g

Connection Diagram:



Operating and Connecting:

- Plug the USB male connector of the USB to HDMI Converter into the USB port of the computer.
- 2. Connect display devices and output of Converter with HDMI cable.

Set up and use:

 Connect converter with PC, "Removable disk" appeared at " My Computer", install the driver.Double-click "MSUSBDisplay Windows V3.0.1.21.exe" (Windows systems driver)



"MSDisplay_MacOS_V3.0.3.3_20230613.dmg" (Mac OS systems driver)
"MSUSBDisplay Android V2.0.4.0.apk" (Android driver)

2. Follow the prompts to complete the installation:







3. After installation finished, at the bottom right of PC, right-click driver icon, click "Device"



4. Setting of PC display: Duplicate or expand to display on demand.(Shortcut keys "win+P")



Installation & setting completed.

Operating system requests:

- 1. Windows 7/8/10/11(Win8 expand to display not supported).
- 2. Android5.1 or above.
- 3. Mac OS(PC) 10.15 or above.