

HDMI[®]

HIGH-DEFINITION MULTIMEDIA INTERFACE

USER MANUAL

USB to HDMI Converter

Enjoy the vivid world

Introduction :

This USB to HDMI converter is able to display or expand picture of PC/smart phone/ tablet PC etc. to larger size displayer via USB3.0 interface. It support HDMI interface output, compatible with Windows, Android, Mac OS systems.



Features :

- * Support EDID/HPD processing;
- * Support DVI1.0;
- * Built-in USB3.0 driver, compatible with USB2.0 driver;
- * Product shape is small and beautiful.

Specifications:

HDMI resolution	up to 1080P/60Hz
Support audio format	Stereo
Input cable distance	≤2M USB3.0 standard cable
Output cable distance	≤10M AWG24 HDMI standard cable
USB Input	1
HDMI Output	1
Operating Temperature range	(-15 to +45 °C)
Operating Humidity range	5 to 90%RH (No Condensation)
Dimension (L x W x H)	63x27x15 (mm)
Weight	14g

Connection Diagram :



Operating and Connecting :

1. Connect USB source devices and input of Converter with USB3.0 cable..
2. Connect display devices and output of Converter with HDMI cable.

Set up and use :



1. Connect converter with PC, “Removable disk” appeared at “ My Computer”, install the driver. Double-click “MSUSBDisplay_V2.0.1.2.0.exe” (Windows systems driver)




“MSDisplay_MacOS_V2.0.0.0_20211224.dmg” (Mac OS systems driver) .

“MSUSBDisplay_V2.0.0.4.apk” (Android driver).


2. Follow the prompts to complete the installation:



3. After installation finished, at the bottom right of PC, right-click driver icon, click "Device"



4. Setting of PC display: Duplicate or expand to display on demand.(Shortcut keys "win+P")



Installation & setting completed.

Operating system requests:

1. Windows 7/10 1607 or above.
2. Android5.1 or above.
3. Mac OS(PC) 10.14 or above.

Accessories :

- | | |
|--------------------------------|-----|
| 1. USB TO HDMI converter | 1PC |
| 2. USB3.0 cable (male to male) | 1PC |